native plant sale 2015 CATALOG





from our land stewardship manager

THIS YEAR, WE ARE CELEBRATING Schuylkill Center's 50th anniversary and reflecting on the past, present, and future of our land and our land stewardship program. We've had so many significant changes since our founding in 1965: not only has there been a transformation in land restoration concepts, but also in the physical landscape at the Schuylkill Center – a forest now exists where there were farm fields and meadows less than 100 years ago. What a massive display of the incredible power and resilience of nature!

The challenge is shifting our perspective to look ahead to the next 50 years and defining how to best focus our stewardship efforts. Each of us may experience this type of challenge within our own personal context – how do we manage our properties for our own enjoyment as well as to benefit wildlife and pollinators?

The good news is that we seem to be on the right track. Research continues to reinforce the value of native plants and their role in our ecosystem, as well as the multitude of benefits that people receive as a result of spending time in nature. As for considering the future, the longevity of trees - many of which can live hundreds of years - can help give us perspective.

In the spirit of leaving a lasting impact, stewarding our forest, and celebrating 50 years of people and nature, we will be planting **Jubilee Grove** this year. Just a few steps out our back door, we will plant native trees, shrubs, and wildflowers to commemorate this special year. Please join us in creating Jubilee Grove, with a gift and by volunteering on planting day. In the meantime, thank you for stopping by our 11th Annual Spring Native Plant Sale.

Best,

Melissa Nase Manager of Land Stewardship melissa@schuylkillcenter.org | 215-482-7300, x144

OUR GROWING PLEDGE TO YOU

We strive to bring you sustainably-grown plants while managing our native plant nursery with the smallest possible carbon footprint. Our sustainability efforts include:

Recycled pots — Thanks to all of you who return yours!
Natural, certifiable organic fertilizer
Rice hulls, a renewable by-product, as a soil amendment
Natural pest control
Local growers for seedlings
Peat-free, organic potting soil from Organic Mechanics

2015 SPRING NATIVE PLANT SALE SCHEDULE OF EVENTS

FRIDAY, MAY 1, 4:00 – 7:00 PM Members-Only Preview Night and Happy Hour

5:30 pm Join us for a toast celebrating land stewardship and our 50th year.

Ask the Arborist *

SATURDAY, MAY 2, 8:30 AM – 4:30 PM
Plant Sale
Ask the Arborist *

SUNDAY, MAY 3, 9:00 AM – 1:00 PMPlant Sale

ALL WEEKEND

Expert habitat advice from Schuylkill Center volunteers

RAFFLE:


Native tree from David Brothers Landscaping Services

*A certified arborist from Bartlett Tree Experts will answer your questions on tree and shrub care. Bring photos or samples for diagnosis or a 2-Cup soil sample for analysis.









new selections for 2015









TREES & SHRUBS

Ceanothus americana – New Jersey tea Cephalanthus occidentalis - Buttonbush Gleditsia triacanthos inermis - Thornless honey locust Hydrangea arborescens 'Annabelle' - Smooth hydrangea Hydrangea quercifolia - Oakleaf hydrangea Physocarpus opulifolius - Common ninebark Rhododendron arborescens – Sweet azalea Vaccinium corym. X vaccinium angust. 'North Country' – Half-high blueberry

HERBACEOUS PLANTS

Chasmanthium latifolium – Northern sea oats Conoclinium coelestinum – Blue mistflower Coreopsis verticillata 'Zagreb' - Threadleaf coreopsis Dennstaedtia punctilobula - Hay-scented fern Hepatica nobilis - Sharplobe hepatica Muhlenbergia capillaris – Pink hairgrass Penstemon digitalis 'Husker's Red' - Beardtongue *Phlox subulata* – Moss phlox Symphyotrichum novae-angliae 'Purple Dome' - New England aster Symphyotrichum novi-belgii - New York aster Tiarella cordifolia var. Collina (wherryi) - Wherry's foamflower Trillium recurvatum – Prairie trillium Zizia aurea - Golden Alexanders

VEGETABLES, HERBS, & COMPANION PLANTS (NON-NATIVE)

Golden jubilee tomato OG Early jalapeño pepper Yellow mustard seed

We'd like to thank David Brothers Landscape Services, East River Bank, and High Point Cafe for their generous support of the Native Plant Sale







THANK YOU TO OUR VOLUNTEERS

The dedication and passion of our volunteers is unmatched: Thank you, our Native Plant Nursery volunteers, for contributing your time, energy, and great ideas to help make Schuylkill Center's Native Plant Sale a success. If you'd like to volunteer, please contact Melissa Nase at (215) 482-7300 x144 or melissa@schuylkillcenter.org.

2015 plant list & cultural information

HERBACEOUS PLANTS

BOTANICAL NAME	COMMON NAME	COLOR	BLOOM	LIGHT	SOIL	HEIGH1
Agastache 'Black Adder'	Hyssop	Violet-blue	June-Sept	Full sun	M-D	2-3'
Fragrant flowers attract bees, butterflies, an	nd hummingbirds; Compact and g	good for containers; D	eer resistant.			
Allium cernuum	Nodding onion	Lt pink	May-June	Sun-pt shade	D	12-18
Attracts bees and butterflies; perfect for rock	y soils; tolerates drought once esta	blished.				
Amsonia 'Blue Ice'	Blue star	Dark blue	Apr-May	Sun-pt shade	M	12-15
Attracts humming birds, bees, and butterflie	es; foliage turns golden yellow in f	all, adding stunning o	color to the ga	rden.		
Amsonia tabernaemontana	Eastern bluestar	Lt blue	Apr-May	Sun-pt shade	\mathbf{M}	1-3'
Attracts bees and butterflies; use en masse in	n bright woodland garden to natu	ıralize; foliage turns y	ellow in fall.	Cut flower.		
Amsonia tab. var. salicifolia	Eastern bluestar	Lt blue	Apr-May	Sun-pt shade	\mathbf{M}	2-3'
Attracts bees and butterflies; tolerates clay s	oil and drought; attractive yellow	fall color. Stake in m	oist soils.			
Aquilegia canadensis	Wild columbine	Red & yellow	Apr-May	Part shade	M-D	1-3'
Attracts humming birds and butterflies; self	sows in woodland garden. Toler	ates dry soil and deer.				
Arisaema triphyllum	Jack-in-the-pulpit	Green/maroon	Apr-June	Shade	M	1-2'
Bright red berry cluster in fall provides food	d for birds, mammals, and turtles.	A true specimen plan	nt for the woo	dland garden.		
Asarum canadense	Wild ginger	Maroon	May-June	Shade	\mathbf{M}	6"
Alternate larval host plant for pipevine sw	allowtail butterfly; a wonderful s	low-spreading groun	dcover for dee	p shade.		
Asclepias incarnata	Swamp milkweed	Rose-pink	July-Sept	Sun-pt shade	M-W	3-5'
Larval host for monarch butterfly; attracts	bees, butterflies and hummingbir	ds; a good choice for ra	in gardens; te	olerates clay soils.		
Asclepias syriaca	Common milkweed	Pale pink	July-Sept	Full sun	M-D	2-4'
Larval host for monarch butterfly; attracts	bees, butterflies and hummingbir	ds; tolerates clay soils.				
Asclepias tuberosa	Butterfly weed	Orange	July-Sept	Full sun	M-D	18-24
Larval host for monarch butterfly; attracts	bees, butterflies and hummingbir	ds; Included in the mi	lkweed famil	y, but does not pro	duce milky	y sap.
Baptisia australis	False blue indigo	Blue	May-June	Sun-pt shade	M-D	3-4'
Attracts bees, butterflies, and other pollinat	ors; tolerates dry clay soil; may nec	ed staking in moist so	ils.			
Callirhoe involucrata	Poppy mallow	Purple	July-Sept	Full sun	M-D	8-12"
Attracts bees, butterflies, and other pollinat	ors; tolerates dry soils; good groun	dcover in full sun.				
Caulophyllum thalictroides	Blue cohosh	Green/purple	Apr-May	Shade	M	2-3'
Attracts early pollinators; prefers consistent	ly moist acidic soil. Flowers prov	* *				
Chelone glabra	Turtlehead	White		Part shade	M-W	2-3'
Larval host plant for Baltimore checkerspoi	; blooms late in summer; tolerates					
Chrysogonum virginianum Allen Bush'	Green and gold	Gold-yellow	May-July	Pt sun-shade	M-D	4-6"
Attracts early pollinators; good groundcover	- C	,				
Cimicifuga racemosa	Black snakeroot	White	June-July	Pt sun-shade	M	4-6'
Attracts butterflies and bees; larval host for			James Jamy			
Conoclinium coelestinum	Blue mistflower	Blue	Aug-Nov	Sun-pt shade	M	1-3'
Fuzzy blue flowers brings late season pollin				-		
Coreopsis verticillata 'Zagreb'	Threadleaf tickseed	1 1	0 0 0	Sun-pt shade	M-D	8-18"
An easy, low-growing, and spreading plan				-		
nn easy, 10w-growing, and spreading plan Dicentra eximia	Bleeding-heart	Pink-purple		Part shade	M-D	12-18
Attractive heart-shaped flowers draw butte						
Echinacea pallida	Pale purple coneflower	Light purple		Sun-pt shade	M-D	2-3'
-		O 1 1	Julic-July	oun-pt shade	141-17	4-3
Attracts butterflies and birds. Drought tole			T.,1 A	C.,	MD	2 2'
Echinacea purpurea A medicinal plant with purple daisy-like fl	Purple coneflower	Violet-pink	July-Aug	Sun-pt shade	M-D	2-3'



BOTANICAL NAME	COMMON NAME	COLOR	BLOOM	LIGHT	SOIL	HEIGHT			
Echinacea purpurea 'Magnus'	Purple coneflower	Dark pink	July-Aug	Sun-pt shade	M-D	2-3'			
A cultivar with horizontal, dark pink petals. As	tracts hummingbirds and butter	flies; goldfinches ea	t the seeds from	n dried flower hea	ds. Great	cut flower.			
Echinacea purpurea 'Ruby Star'	Purple coneflower	Violet-red	July-Aug	Sun-pt shade	M-D	2-3'			
A slightly shorter variety that produces deeper purple to reddish blooms.									
Eryngium yuccifolium	Rattlesnake master	Green-white	June-Aug	Full sun	M	3-6'			
Unique, yucca-like native plant with rounded flower heads; Attractive blue-green, silvery leaves. May self-seed aggressively in the garden.									
Erythronium americanum	Trout lily	Yellow	Apr-May	Pt sun-shade	M	6"			
Produces one of the first blooms of spring; attracts early pollinators. Colorful spring ephemeral with a single yellow flower and mottled leaves.									
Eupatorium dubium	Three-nerved joe pye	Pink	July-Aug	Sun-pt shade	M-W	3-4'			
Attracts bees and butterflies, a swallowtail fav	orite. A perfect Joe Pye for small	ler gardens.							
Eupatorium purpureum	Woodland joe pye	Light pink	July-Aug	Pt sun-shade	M-D	2-4'			
Attracts butterflies, bees, and birds; tolerates cla	y soil.								
Eurybia divaricata (Aster divaricatus)	White wood aster	White	Aug-Oct	Pt sun-shade	M-D	1-3'			
Attracts bees, butterflies, and other pollinators;	tolerates dry rocky soil and dense	shade.							
Geranium maculatum	Wild geranium	Lav-pink	Apr-June	Sun-pt shade	M	1-2'			
Attracts butterflies; tolerates dry soil; colonizes .	slowly.								
Helenium flexuosum 'Tiny Dancer'	Sneezeweed	Bright yellow	Aug-Oct	Sun-pt shade	M-W	18-24"			
Attracts butterflys; repels rabbits. Deer resistan	t. Fast growing and adaptable	to a variety of site	conditions.						
Helianthus angustifolius	Swamp sunflower	Yellow	Aug-Oct	Sun-pt shade	M-W	3-5'			
Moisture loving sunflower perfect for rain gard	lens, pond plantings, or boggy a	reas.							

3 TIPS FOR STARTING A NATIVE PERENNIAL GARDEN

Observe and reflect – Get to know your property through close observation. Walk every inch; stop and look around. A few things to notice: what is growing, the topography, water drainage or pooling, and orientation to the sun. You can grow native plants in just about any conditions, but all of these factors will influence what plants you choose.

Prepare the site – Get your soil tested. PSU Extension offers a low-cost option that will tell you pH, nutrient levels, as well as any contaminants. This way you can make smart decisions in your use of fertilizer and compost, only adding what you need. Clear the area of any grass or weeds which will compete with your native plants for sunlight and food.

Plant – Choose plants that are well suited for your site, whether it's shady or sunny, wet or dry. When you dig, make sure to pay attention to the depth of the planting hole, keeping the soil level even with the soil level of the plant. Water well when first planted and then maintain the preferred moisture levels throughout the first year, while they establish their new roots.

membership

AT THE SCHUYLKILL CENTER

SCHUYLKILL CENTER MEMBERS RECEIVE:

- » Free and discounted admission to many programs and events
- » 10% discount at our gift shop and native plant sales
- » A free wildflower at the spring native plant sale
- » 20% discount at birdseed sales
- » Quill, our quarterly newsletter, and our calendars of programs and events
- » Exclusive invitations to memberonly events, like the Native Plant Sale preview
- » Opportunity to rent plots in the Organic Community Gardens

FOR MORE INFORMATION, CONTACT:

215-482-7300, x112 or members@schuylkillcenter.org



BOTANICAL NAME	COMMON NAME	COLOR	BLOOM	LIGHT	SOIL	HEIGH
Helianthus divaricatus	Woodland sunflower	Yellow	July-Sept	Sun-pt shade	M-D	4-5'
Attracts birds and butterflies; naturalizes qu	ickly in bright shade; excellent cu	t flower. Very easy to	grow.			
Heliopsis helianthoides 'Summer Nights'	Oxeye sunflower	Golden yellow	June-Aug	Sun-pt shade	M	3-5'
Showy golden flowers attract bees, butterflies	, and beneficial insects. Seeds offe	er a winter food sour	ce for songbir	ds.		
Hepatica nobilis	Sharplobe hepatica	Purple	Mar-Apr	Pt sun-shade	M-D	3-6"
Delicate flowers with pointed, three-lobed le	aves that persist throughout the y	ear. Nectar source fo	r early pollin	ators; fruit eaten l	by small m	iammals.
Heuchera americana 'Dales Strain'	Alumroot	Creamy white	May-June	Sun-pt shade	M	1-2'
Attracts pollinators; green/purple/bronze fold	iage provides interest and color in	n container. Leaves t	o 1', flowers t	o 2'.		
Hibiscus moscheutos	Rose mallow	Pink to white	Aug-Sept	Sun-pt shade	M-W	3-7'
Fast grower with 4-5" showy flowers. Needs	rich soil and consistent moisture -	- a great choice for ra	in gardens. A	lttracts hummingt	birds and z	pollinato
Hydrastis canadensis	Goldenseal	Green/wht	Apr-May	Part shade	M	8-12"
A rare woodland native! Commonly known	for its medicinal properties. Pre	fers humus-rich, ever	nly moist soil.			
Iris cristata	Dwarf crested iris	Violet-blue	Apr-May	Pt sun-shade	M-D	4-8"
Attracts bees; prefers dry shade. Spreads quid	kly by underground rhizomes.					
Iris versicolor	Blue flag	Violet-blue	May-June	Sun-pt shade	M-W	3-4'
Attracts butterflies; a good choice for a rain g	arden; tolerates drier soils as well	Good cut flower.				
Ieffersonia diphylla	Twinleaf	White	Mar-Apr	Part shade	M	1-3'
Attracts early pollinators; prefers dappled spr	ing shade and full shade in sumn	ner.				
Liatris spicata	Blazing star	Rose pink	July-Sept	Sun-pt shade	M	2-4'
Attracts hummingbirds, bees, and butterflies,	excellent cut flower.					
Lobelia cardinalis	Cardinal flower	Scarlet red	July-Aug	Sun-pt shade	M-W	2-4'
Attracts hummingbirds, bees, and butterflies,	good choice for rain garden. Bri	lliant flower color!				
Mertensia virginica	Virginia bluebells	Pink/lt blue	Mar-May	Pt sun-shade	M	1-2'
Attracts early pollinators; prefers moist soils.	Interplant with ferns to replace	the foliage come sum	mer (goes dor	mant).		
Monarda didyma 'Jacob Cline'	Bee balm	Red	June-Aug	Sun-pt shade	M	3-5'
Attracts hummingbirds, butterflies, and bees	s; good cut flower; spreads in gard	len. Tolerates clay son	ils.			
Monarda fistulosa	Wild bergamot	Light pink	June-July	Sun-pt shade	M-D	3'
Attracts hummingbirds, butterflies, and bees,	good cut flower; spreads in garde	en. Tolerates dry clay	soils.			
Oenothera fruticosa 'Fireworks'	Sundrops	Yellow	May-June	Full sun	D	18-24
Attracts butterflies; pollinated by night-time	insects and nocturnal moths. De	er resistant. Tolerat	es hot dry site	s in the garden.		
Pachysandra procumbens	Allegheny spurge	White	Apr-May	Part shade	M	6-10"
Provides cover for small mammals; attracts e	early pollinators. Good replaceme	nt for English ivy or	Japanese pac	hysandra.		
Packera aurea	Golden ragwort	Yellow	June-July	Pt sun-shade	M	12"
Tolerates moist shade; strong growing ground	dcover. Good cut flower.					
Penstemon digitalis 'Husker's Red'	Beardtongue	White-pink	May-July	Full sun	M-D	2-3'
A shorter variety with maroon foliage and w	phite to blush flowers. Tolerates a	wide variety of sites	; deer resistar	ıt.		
Phlox divaricata 'London Grove'	Woodland phlox	Blue	Apr-June	Pt sun-shade	M	12-15
Attracts butterflies and early pollinators; bea	utiful soft blue fragrant flowers; s	spreads slowly in wo	odland garder	n.		
Phlox div. 'May Breeze'	Woodland phlox	Wht/blue eye	Ü		M	12-15
Attracts butterflies and early pollinators; fra	grant blooms; spreads slowly in w	•	1 -			
Phlox paniculata 'David'	Garden phlox	White	July-Sept	Sun-pt shade	M	3-4'
Attracts bees and butterflies; fragrant blooms	-			-		
Phlox panic. Jeana'	Garden phlox	Lav/pink	•	Sun-pt shade	M	2-4'
Attracts bees and butterflies; fragrant blooms	•	•	J T	1		
Phlox panic. 'Robert Poore'	Garden phlox	Rose pink	July-Sept	Sun-pt shade	M	4-5'
			J P	L	-	. –



BOTANICAL NAME	COMMON NAME	COLOR	BLOOM	LIGHT	SOIL	HEIGH.
Phlox stolonifera	Creeping phlox	Pink	Apr-May	Sun-pt shade	M	6-10"
Attracts butterflies; fast spreader for woodland g	arden.					
Phlox subulata	Moss phlox	Pink-purple	Apr-June	Sun-pt shade	D	6-12"
Forms dense mats of needle-like leaves and flow	ers. Great as a groundcover or f	or erosion control;	Tolerates rock	y and poor soils.		
Podophyllum peltatum	Mayapple	White		Pt sun-shade	M-D	6-12"
Naturalizes slowly in woodland garden. Interp	, , ,	through summer.	, ,			
Polemonium reptans	Jacob's ladder	Soft blue	Mav-Iune	Sun-pt shade	M	12-18
Attracts bees; soft texture for woodland garden.	•		James	F		
Polygonatum biflorum	Solomon's seal	White-green	May-June	Pt sun-shade	M	1-3'
Beautiful arching form; a specimen for the shade		vvince green	iviay jane	T t odii oiiude	111	10
Pycnanthemum muticum	Hoary mtn. mint	Silver/pink	July-Sept	Sun-pt shade	M-D	2-3'
Silvery pink flowers attract bees, butterflies, and	•	•		•	WI D	2 3
**		Gold-yellow	July-Oct	-	M-D	18-30
Rudbeckia fulgida 'Goldsturm'	Black-eyed susan	•		Sun-pt shade	MI-D	18-30
Provides nectar for pollinators and seeds for bird	1 ,	O			МЪ	2.22
Rudbeckia hirta	Gloriosa daisy	Yellow	June-Sept	rull sun	M-D	2-3'
Tolerates heat and drought well; treat as an ann	ŭ					
Rudbeckia triloba	Brown-eyed Susan	Yellow		Sun-pt shade	M-D	3-4'
Attracts bees and butterflies; tolerates heat and a	- C	- C				
Sanguinaria canadensis	Bloodroot	White	Mar-Apr	Pt sun-shade	M	4-6"
Attracts early pollinators; one of the earliest woo	dland wildflowers to bloom; colo	nizes slowly.				
Sedum ternatum	Wild stonecrop	White	May-June	Sun-pt shade	M-D	4-8"
Attracts bees and other pollinators; very drought	tolerant; makes a good groundce	over in dry garden				
Silene virginica	Fire pink	Red	June-July	Full sun	D	12-18
Attracts hummingbirds and butterflies with its	intense scarlet red blooms.					
Sisyrinchium angustifolium 'Lucerne'	Blue eyed grass	Purple	May-June	Sun-pt shade	M-D	8-10"
Grass-like foliage with delicate blooms. Attracts	bees and pollinators. Deer resist	tant.				
Sisyrinchium angust. 'Suwannee'	Blue eyed grass	Blue	May-June	Sun-pt shade	M-D	8-10"
Attracts bees and other pollinators; great addition	• 0	nt.	, ,	•		
Solidago caesia	Bluestem goldenrod	Yellow	Aug-Sept	Pt sun-shade	M-D	18-24
A goldenrod that likes shade! This deer resistant			0 1			
Solidago sphaceleta 'Golden Fleece'	Autumn goldenrod	Yellow	Aug-Oct	Sun-pt shade	M-D	12-18
Attracts late season pollinators; slow spreading g			riag Oct	our promuce	1/1 15	12 10
Solidago rugosa 'Fireworks'	Rough-stemmed goldenrod		Aug-Oct	Sun-pt shade	M-D	3-4'
Attracts late season pollinators; tolerates clay soil			riug Oct	our pr snade	WI D	<i>J</i> ¬
- · · · · · · · · · · · · · · · · · · ·	Short's goldenrod	Yellow	A Oat	Com me alonda	M-D	24-30
Solidago shortii 'Solar Cascade'	0		Aug-Oct	Sun-pt shade	IVI-D	2 4 -30
Attracts hummingbirds and butterflies. Deer an		2		C . 1 1	Ъ./	10"
Spigelia marilandica	Indian pink	Red & yellow		Sun-pt snade	M	18"
Attracts hummingbirds and butterflies; unique l				D	3.6	
Stylophorum diphyllum	Wood poppy	Yellow	1 ,	Pt sun-shade	M	12-18
Prefers moist soil in shade; will go dormant in s		Ü	111			
Symphyotrichum cordifolium	Blue wood aster	Light blue		Pt sun-shade	M-D	2-3'
Host plant of silvery checkerspot and pearl cresce	•	· ·	Ü	ates dry soils.		
Symphyotrichum ericoides 'Snow Flurry'	White heath aster	White	Aug-Oct	Sun-pt shade	M-D	6-8"
Attracts bees and butterflies; larval host plant fo	r pearl crescent.					
Symphyotrichum laeve 'Blue Bird'	Smooth aster	Violet-blue	Aug-Oct	Sun-pt shade	M-D	3-4'
Attracts bees, butterflies, and other pollinators; le	ong bloom time Freellent out fl	กรบคร				





Minuteman Press of Bala Cynwyd is proud to be a part of the 2015 Native Plant Sale.



61 West City Avenue Bala Cynwyd, PA 19004

(610) 668-8847 • Fax (610) 668-8894

Place your order online: www.mmpbala.com



Ask us about our environmentally friendly printing options







We put our energy into the environment.

At PECO, we're committed to reducing our carbon footprint and preserving the environment. That's why we contribute more than \$500,000 in support of local environmental programs. We're also doing our part with a green roof at our Main Office Building, by driving a fleet of hybrid trucks, and installing an energy efficient LED Crown Lights system.

PECO is proud to support the Schuylkill Center and its efforts to inspire meaningful connections between people and nature.

Find out more at www.peco.com/green



BOTANICAL NAME	COMMON NAME	COLOR	BLOOM	LIGHT	SOIL	HEIGHT
Symphyotrichum novae-angliae 'Purple Dome'	New England aster	Pink-purple	Aug-Oct	Sun-pt shade	M	1-2'
Produces clumps of vivid purple flowers. Attract	s bees and butterflies; larval hos	st plant for pearl c	rescent and ch	eckerspot butterfli	es; good ci	it flower.
Symphyotrichum novi-belgii	New York aster	Pink-purple	Aug-Oct	Full sun	M	3-4'
A deer resistant, late-flowering perennial provia	ing color to your fall garden. A	source of late-seas	on nectar for	bees and butterflie	?s.	
Symphyotrichum oblongifolium 'Raydon's Favorite'	Aromatic aster	Lavender	Sept-Oct	Sun-pt shade	M-D	3'
Attracts bees, butterflies, and skippers; good cut fl	ower; tolerates dry sun; one of t	he latest asters to b	oloom. Long l	bloom time.		
Tiarella cordifolia	Foamflower	White	Apr-June	Pt sun-shade	M	6-12"
Small flower spikes in spring and bronze fall fold	age makes this a great addition	to containers. Sp	reads rapidly	by runners; perfec	t for a gro	und cover
Tiarella cordifolia var. collina (wherryi)	Foamflower	White	Apr-June	Pt sun-shade	M	10-12"
A well-behaved, clump forming foamflower perf	ect for a woodland garden.					
Tiarella cordifolia 'Oakleaf'	Foamflower	Lt. pink	Apr-June	Pt sun-shade	\mathbf{M}	10-12"
A long-blooming, clumping cultivar with bronze	/burgundy fall color and oak-sh	paped leaves.				
Trillium grandiflorum	White wakerobin	White-pink	Apr-June	Part sun	\mathbf{M}	8-15"
Attracts early pollinators; prefers moist soil rich i	n humus. A must for any wood	land garden!				
Trillium recurvatum	Bloody butcher	Red-maroon	Apr-June	Part sun	\mathbf{M}	8-15"
A unique red flower with mottled, light and dar	k green leaves. Supports early p	ollinators includin	ng moths, beet	les, and flies.		
Vernonia glauca	Upland ironweed	Purple	July-Sept	Full sun	M-D	3-5'
Attracts butterflies and skippers; very adaptable	and easy to grow. Drought tole	rant.				
Vernonia noveboracensis	New York ironweed	Violet	July-Sept	Sun-pt shade	M- W	4-8'
Attracts butterflies, bees, and skippers; very easy	to grow. Will self sow where ha	appy; shorter in dr	ier sites.			
Veronicastrum virginiana	Culver's root	White	July-Aug	Sun-pt shade	M- W	4-5'
Attracts butterflies and bees; very adaptable. To	erates wet and dry soils. Excell	ent cut flower.				
Zizia aurea	Golden Alexanders	Yellow	May-June	Sun-pt shade	M- W	1-2'
A larval host and nectar source for the black swa	llowtail. Lacy, clustered flower	beads make good ci	ut flowers.			

FERNS

BOTANICAL NAME	COMMON NAME	COLOR	BLOOM	LIGHT	SOIL	HEIGHT			
Athyrium filix-femina	Lady fern	No flower	No flower	Pt Sun-Shade	M	2-3'			
Feathery, light green fronds provide cover for small mammals. Relatively tolerant of partial sun and dry soil.									
Dennstaedtia punctilobula	Hay-scented fern	No flower	No flower	Pt Sun-Shade	M	1-3'			
Feathery fern with hairy fronds. Spreads rapidly; tolerant of full sun if soil is well-drained. Golden/bronze color in fall.									
Dryopteris marginalis	Marginal wood fern	No flower	No flower	Pt Sun-Shade	M	1-2'			
Dark green fronds; provides cover for small mam	mals. Deer resistant. Tolerant	of dry shade cond	itions.						
Onoclea sensibilis	Sensitive fern	No flower	No flower	Pt Sun-Shade	M-W	2-3'			
Attractive light green fronds brighten up shady	Attractive light green fronds brighten up shady garden; provides cover for small mammals. Tolerates clay soils, will naturalize.								
Polystichum acrostichoides	Christmas fern	No flower	No flower	Pt Sun-Shade	M	1-3'			
Attractive dark green fronds stay green through	winter. Tolerates dry soils and	dense shade.							

VINES

BOTANICAL NAME	COMMON NAME	COLOR	BLOOM	LIGHT	SOIL	HEIGHT		
Lonicera semper. John Clayton'	Trumpet honeysuckle	Yellow	May-Frost	Sun-pt shade	M	Vine		
Butter-yellow blooms attract butterflies. Vigorous grower and prolific bloomer. Excellent on trellis, arbor, or fence.								
Lonicera sem. 'Major Wheeler'	Trumpet honeysuckle	Coral-red	May-Frost	Sun-pt shade	M	Vine		
Bright flowers attract butterflies and hummingbirds. Vigorous grower and prolific bloomer. Excellent on trellis, arbor, or fence.								



GRASSES & SEDGES

BOTANICAL NAME	COMMON NAME	COLOR	BLOOM	LIGHT	SOIL	HEIGHT			
Andropogon gerardii	Big bluestem	Red	Aug-Oct	Sun-pt shade	W-D	3-6'			
Blue-green stems in spring; coppery in the fall. Tolerant of varying moisture levels and salt. Larval host to skippers; provides cover for birds.									
Carex flaccosperma	Blue wood sedge	Blue-green	May-June	Pt sun-shade	W-D	6-10"			
Adaptable to wide range of soils and moisture levels. Use as a groundcover or border; spreads slowly.									
Carex laxiculmis 'Bunny Blue'	Creeping sedge	Yellow	May-June	Pt sun-shade	M-W	12"			
Provides cover for birds and small mammals; tolerates wet soils and dense shade. Strong blue foliage looks attractive in containers.									
Chasmanthium latifolium	Sea oats	Green	June-Sept	Pt shade-shade	M	2-4'			
Low maintenance grass with blue-green leaves	with decorative seedheads. Seeds	s eaten by small m	ammals and b	birds. Attracts but	tterflies.				
Carex pensylvanica	Pennsylvania sedge	Green-tan	May	Pt sun-shade	M-D	8"			
Provides cover for birds and small mammals; sp.	reads slowly to form a groundco	ver. Fine texture	good for conta	iner garden.					
Muhlenbergia capillaris	Pink hairgrass	Pink-mauve	Sept-Oct	Sun-pt shade	M	1-3'			
A showy, clumping grass with a feathery appear	ance when in bloom. Both deer	resistant and drou	ight tolerant.						
Panicum virgatum	Switchgrass	Green-tan	Aug-Oct	Sun-pt shade	M-D	3-6'			
Attracts birds and butterflies; larval host for skip	ppers and satyrs. Finely-texture	d reddish seedhead	ds and yellow	foliage in fall.					

TREES

BOTANICAL NAME	COMMON NAME	COLOR	BLOOM	LIGHT	SOIL	HEIGHT
Amelanchier laevis	Smooth serviceberry	White	April	Pt sun-shade	M	25'
Provides nectar for early pollinators; berries eater	n by birds and small mammals.	Attractive bronze	fall color.			
Asimina triloba	Paw paw	Maroon	Apr-May	Sun-pt shade	M	15-40
Attacts butterflies, birds, and small mammals. P	Produces largest edible fruit nativ	ve to America; cros	s-pollination	necessary.		
Betula nigra	Riverbirch	Yellow	May	Full sun	M-W	40-70
Provides cover for birds and small mammals. Ve	ry attractive exfoliating bark. 1	Easy to grow, adap	ptable to both	wet and dry soils.		
Carpinus caroliniana	Ironwood	Yellow	April	Pt sun-shade	M	15-30
Small stature tree with beautiful form; smooth be	ark on trunk resembles muscle. I	Prefers a shady spo	t.			
Cercis canadensis	Eastern redbud	Lilac pink	Apr-May	Sun-pt shade	M	20-30
Attracts bees and other early pollinators; bright co	olor of blooms is unmistakeable i	n the landscape. A	A sure sign of s	spring!		
Chamaecyparis thyoides	Atlantic white cedar	Green	Apr-May	Full sun	M-W	50'
Evergreen with narrow columnar form. Very at	tractive blue foliage.					
Cornus alternifolia	Pagoda dogwood	Creamy white	May-June	Sun-pt shade	M	15-25
Flowers attract bees; birds eat blue berries. Arch	itecture of branches resembles a J	apanese pagoda.				
Cornus florida	Flowering dogwood	White	Apr-May	Sun-shade	M	35-50
Larval host for spring azure. Berries are consum	ned by birds and small mammals	in fall. Best in m	norning sun a	nd afternoon shaa	le.	
Diospyros virginiana	Persimmon	White-yellow	May-June	Sun-pt shade	M-D	35-60
Large edible fruit can be used in jellies and pies.	Tolerates dry rocky soils.					
Gleditsia triacanthos inermis	Thornless honeylocust	Pale yellow	May-June	Part shade	M	30-40
Fast growing tree with feathery, yellow-green le	aves which create dappled shade.	. Larval host for i	the silver-spoi	ted skipper.		
Ilex opaca (male/female)	American holly	Creamy white	May-June	Sun-pt shade	M	15-30
A slow-growing, pyramidal evergreen tree that t	needs moist, well-drained, acidic	soils. Female tree	es produce red	fruits that attrac	t birds.	
Juniperus virginiana	Eastern red cedar	Yellow-green	March	Full sun	M-D	40-50
Colonizer of old fields; tolerates dry clay soils. Py	ramidal shape in youth, becomin	ig more open with	age.			
Magnolia virginiana	Sweetbay magnolia	Creamy white	May-June	Sun-pt shade	M	30-50
Larvel host for swallowtail. Fragrant flowers an	re followed by red fruits, consum	ed by birds and sn	iall mammals	in fall.		
Nyssa sylvatica	Tupelo	Green	May-June	Sun-pt shade	M-W	30-60
Flowers attract bees; fruit consumed by birds and	d small mammals. Brilliant red	fall color is unmai	tched in lands	cape.		



TREES (CONTINUED)

BOTANICAL NAME	COMMON NAME	COLOR	BLOOM	LIGHT	SOIL	HEIGHT		
Prunus serotina	Wild black cherry	White	May	Sun-pt shade	M-D	60-90'		
Host plant to many species of butterflies and moths; showy flowers attract pollinators. Fruit eaten by birds and small mammals.								
Tilia americana	Basswood	Pale yellow	June-July	Sun-pt shade	M-D	50-80'		
Fragrant but inconspicious pale yellow flowers. Attracts birds; highly favored by bees while flowering.								

SHRUBS

BOTANICAL NAME	COMMON NAME	COLOR	BLOOM	LIGHT	SOIL	HEIGHT
Alnus serrulata	Hazel alder	Green	Mar-Apr	Sun-shade	M-W	12-25'
Multistemmed suckering shrub that forms this	kets; tolerates wet soil. Fruit at	ttracts birds. Great j	for screening.			
Calycanthus floridus	Eastern sweetshrub	Red	Apr-July	Pt sun-shade	M	6-12'
Deep red, aromatic flowers. Adaptable to man	ny soils. Grows taller in shaded	locations.				
Ceanothus americanus	New Jersey tea	White	June-July	Pt sun-shade	M-D	3-4'
Highly adaptable low, upright shrub; drought	tolerant. Oval clusters of white	e flowers attract bir	ds and butterfi	lies. Use dried lea	ves for tea	·.
Cephalanthus occidentalis	Buttonbush	White	July-Sept	Pt sun-shade	M-W	6-12'
Showy white flower globes provide nectar for	butterflies, bees, and insects. See	eds are eaten by duc	ks and other w	ater birds.		
Clethra alnifolia	Summersweet	White	July-Aug	Sun-pt shade	M-W	4-9'
Attracts bees and butterflies to its sweet smelli	ng blooms. A very adaptable sh	rub, good for both w	vet and dry are	eas in the garden.		
Clethra al. 'Hummingbird'	Dwf summersweet	White	July-Aug	Sun-pt shade	M-W	2-4'
A shorter, more compact variety with spicy, fro	agrant spikes of flowers. Attraci	ts bees and butterflie	?s.			
Cornus amomum	Silky dogwood	White	Apr-May	Sun-pt shade	M-W	6-10'
Attracts pollinators; berries consumed by birds	in fall. Stems turn dark red in	winter, stronger col	or in full sun.	Suckers freely.		
Cornus sericea	Red-osier dogwood	Creamy white	May	Sun-pt shade	M	6-12'
Provides year-round interest: Creamy white	flowers in spring, summer berri	es, colorful fall folia	ge, and red ste	ms in the winter.		
Corylus americana	American hazelnut	Yellow-green	Mar-Apr	Sun-pt shade	M-D	10-16
Multistemmed suckering shruh; makes good he	dge; attractive fall color. Hazel	lnuts consumed by si	nall mammals	ī.		
Euonymus americanus	Strawberrybush	Green/white	May-June	Part shade	M-D	6-12'
Attractive pink-red fruit opens to reveal oran	ge berries. A unique addition to	the garden!				
Fothergilla 'Mt. Airy'	Fothergilla	White	Apr-May	Sun-pt shade	M	3-5'
Fragrant flowers attract early pollinators; goo	d choice for small space. Bronze	fall color stronger i	n full sun; prej	fers acidic soil.		
Hamamelis virginiana	Witchhazel	Yellow	Oct-Nov	Sun-pt shade	M	10-20
Wide spreading shrub or small multistemmed	tree. Prefers most, acidic soils.	Tolerates clay soils.				
Hydrangea arborescens 'Annabelle'	Wild hydrangea	White	July-Sept	Pt shade	M-W	3-5'
Large clusters of creamy white flowers; use cut	or dried in arrangements. Such	kers freely; may be p	runed to grour	nd in late winter.		
Hydrangea quercifolia	Oakleaf hydrangea	Green-white	July-Sept	Shade	M-W	6-10'
Showy inflorescence of flowers persists from su	mmer through mid-winter. Oa	k leaf shaped foliage	e has great fall	color.		
Ilex glabra 'Shamrock'	Inkberry holly	Green-white	June-July	Sun-pt shade	M-W	3-4'
A slow-growing, evergreen shrub; Excellent f	or foundation plantings or hedge	es. Produces black, j	bea-sized 'inkl	herries' that attrac	et birds.	
Ilex verticillata (male/female)	Winterberry holly	White	Apr-May	Sun-pt shade	M-W	6-10'
Attracts pollinators; bright red berries of fema	le plants provide winter food so	urce for birds and sr	nall mammals	. Great for rain g	gardens.	
Ilex verticillata 'Winter Red'	Winterberry holly	White	Apr-May	Sun-pt shade	M-W	6-8'
A variety noted for heavy fruiting and retent	ion of berries; Provides winter i	interest and a food so	ource for birds.			
Itea virginica	Virginia sweetspire	White	June-July	Sun-pt shade	W-D	3-6'
Produces fragrant 5" flower spikes that attract	pollinators; excellent burgundy	red fall color, strong	ger in full sun.	Adaptable and e	asy to grov	w.
Itea virginica 'Little Henry'	Dwarf VA sweetspire	White	June-July	Sun-pt shade	W-D	1-2'
Low growing variety may be used as groundc	over, hedge, or border. Excellent	t red foliage in fall.				



SHRUBS (CONTINUED)

BOTANICAL NAME	COMMON NAME	COLOR	BLOOM	LIGHT	SOIL	HEIGHT
Itea virginica 'Merlot'	Dwarf VA sweetspire	White	June-July	Sun-pt shade	W-D	3'
A compact variety; Excellent for foundation plan	ntings or hedge. Adaptable and	easy to grow. Dec	er resistant.			
Juniperus virginiana 'Grey Owl'	Red cedar	Yellow-green	March	Sun	M-D	2-3'
Low growing variety; evergreen with silvery, gr	ey needles. In summer, blue ber	ries attract birds	and other wil	dlife. Spreads to	<i>1</i> –6'.	
Lindera benzoin	Spicebush	Yellow	Mar-Apr	Sun-shade	W-D	6-12'
Larval host for spicebush and tiger swallowtail b	putterflies. One of the earliest no	ative shrubs to blo	om. Good fall	l color.		
Morella pensylvanica	Northern bayberry	Green	May-June	Sun-pt shade	M-D	3-6'
Semi-evergreen foliage provides winter cover for	birds. Aromatic, blue-grey beri	ries persist on fem	ale plants thre	ough winter.		
Photinia melanocarpa	Black chokeberry	White	Apr-May	Sun-pt shade	W-D	3-5'
Multistemmed suckering shruh; very adaptable to	o a range of growing conditions.	Black berries con	isumed by wil	dlife in winter.		
Photinia pyrifolia	Red chokeberry	White	Apr-May	Sun-pt shade	W-D	5-10'
Attracts pollinators; or namental red berries are co	onsumed by wildlife in winter.	Attractive red fall	l color; very ea	sy to grow.		
Physocarpus opulifolius	Common ninebark	White-pink	•	Sun-shade	W-D	3-8'
Fast growing, disease resistant, and drought toler	rant. Named for its attractive e	xfoliating bark. A	Attracts birds.			
Rhododendron arborescen	Sweet azalea	White-lt pink		Pt sun-shade	M	4-6'
One of the fastest growing native azaleas. White	e flowers with red stamens. Foli	•			color.	
Rhodo. prinophyllum	Roseshell azalea	Rose pink	-	Pt sun-shade	M	6-9'
A hardy native azalea with showy flowers and a	fragrant, spicy scent. Attracts h		1 ,			
Rhodo. periclymenoides	Pinxterbloom azalea	Pink		Sun-pt shade	M	3-8'
Attracts butterflies and early pollinators. Delicat			1 ,			
Rhus aromatica 'Gro-Loz'	Dwarf fragrant sumac		ū		M-D	1-2'
Attracts birds and butt reflies. Excellent red, yello	ĕ	- G				
Sambucus canadensis	American elderberry	White		Sun-pt shade	M-W	5-12'
Blooms attract bees and butterflies; berries consur	•			-		
Vaccinium corymbosum (asst. cultivars)	Highbush blueberry	Light pink			M-W	6-12'
Larval host for several butterfly species. Edible l	•		• •	1		
Viburnum dentatum	Arrowwood viburnum	White		Sun-pt shade	M	6-12'
Attracts pollinators; berries consumed by birds an	ed small mammals. Larval host		• -	1		
Viburnum nudum	Possumhaw viburnum	White		Sun-pt shade	M-W	5-15'
Tolerates wet soils; attractive burgundy fall folia;			• •	-		
Viburnum nud. 'Winterthur'	Possumhaw viburnum	White			M	5-10'
A more compact variety with glossy leaves. Toler			y y	7 P		
Viburnum prunifolium	Blackhaw viburnum	White	May-June	Sun-pt shade	M-D	12-15'
Attracts pollinators; berries consumed by birds an			iviay juite	our promue	1,1 15	12 13
Viburnum trilobum	Cranberrybush vib.	White	May-June	Sun-pt shade	M-W	5-15'
Attracts pollinators; berries consumed by birds an	•		-	-	212 11	3 13
Xanthoriza simplicissima	Yellowroot	Purple		Pt sun-shade	M-W	1-3'
Historically used to make yellow dyes. Shallow, si		•			717 11	1 0
	Common pricklyash	Yellow	Apr	Sun-pt shade	M	15-20'
Zanthoxylum americanum						

SEE PAGES 14-15 FOR HEIRLOOM VEGETABLES AND COMPANION PLANTS



starter plants for the edible garden

Choose from a wealth of heirloom varieties to grow in your garden for summer-long enjoyment

VARIETY	DAYS TO HARVEST	LIGHT	HEIGHT	USES			
Amish paste tomato OG	85 Days	Full sun	36-42"	Canning, paste			
Mid-season, origins are in Lancaster, PA in the	e heart of amish country.	Heirloom varies	y.				
Cherokee purple tomato OG	77 Days	Full sun	3-4'	Snacking, canning, drying			
Mid-season, sweet beefsteak variety with large purple to red fruits. 100 Year old heirloom.							
Golden jubilee tomato OG	80 Days	Full sun	3-4'	Snacking, canning			
A medium-sized golden-yellow heirloom tomato with a smooth texture, mild flavor, and low acidity.							
Pink Brandywine tomato OG	82 Days	Full sun	40-48"	Snacking, canning			
Mid-season, great for sandwiches. Heirloom v	ariety dates back to 1800	's; amish origins.	Grown from	certified organic seed.			
Roma tomato OG	76 Days	Full sun	3-4'	Canning, sauce			
A determinate, compact variety with meaty plu	ım shaped fruits and few	seeds.					
Sungold cherry tomato	57 Days	Full sun	4-5'	Snacking			
Large clusters of golden orange fruit. Early to	mid-season, loves heat, to	lerates cool temps.	Good in cont	tainers. Hybrid variety.			
Rosita eggplant OG	84 Days	Full sun	3-4'	Cooking, all types of cuisine			
Heirloom variety from Puerto Rico. Pink/lave	ender fruits; 6-8" long, 4-	6" wide. Mild fl	avor. Grown	from certified organic seed.			
Early jalapeño pepper	75 Days	Full sun	18-24"	Snacking			
Produces hot 3" fruits that mature earlier than	many other peppers. Ma	y be harvested w	hen green or le	ft to ripen to red.			
Peacework sweet pepper OG	65 Days	Full sun	18-24"	Snacking, canning			
Early sweet vine-ripened red bell pepper; comp	act plant. Provide some .	shade from aftern	oon sun. Ceri	tified organic seed.			
Red and green salad bowl lettuce OG	46 Days	Sun-pt shade	6-10"	Snacking			
Bright green or red leaf, mild flavor. Harvest individual leaves to keep it producing. Warm temp. Tolerant, slow to bolt.							
Dwarf blue curled kale OG	55 Days	Sun-pt shade	12-18"	Snacking, salads, soups			
An heirloom variety that is very compact and c	old hardy, producing tigh	tly curled blue-gr	een leaves.				
Lacinato dinosaur kale OG	60 Days	Sun-pt shade		Snacking, salads, soups			
Italian heirloom with deep blue-green wrinkled leaf with a tender texture. Cold tolerant; flavor sweetens after frost.							
Caribe cilantro OG	55 Days	Full sun	24"	Mexican, Thai, and Indian cuisine			
Full sun or part shade depending on harvest - i	leaves (cilantro) vs. Seeds	(coriander). Wei	ll-drained soils	s. Certified organic seed.			
Chives OG	Summer Bloom	Full sun	1-2'	Seasoning, medicinal			
Subtle onion flavor. A good companion plant fo	or its insect repelling quai	lities. High in vi	tamin c and a	ntioxidants.			
Dark green Italian parsley OG	78 Days	Sun-pt shade		Fresh or dried			
Glossy, dark green leaves and distinctive flavor	; fresh or dried. Attracts	beneficial insects.	Enhances sm	ell of roses when planted nearby.			
Greek oregano	75 Days	Sun-pt shade		Seasoning, medicinal			
A prized culinary herb used primarily in Greek	k and Italian cooking. Ha	ardy and tolerant	of dry conditi	•			
Genovese basil	70 Days	Sun-pt shade		Fresh or pesto			
More aroma and potency than sweet basil. A g	reat choice for pesto. Plan	-		•			
Sweet basil OG	70 Days	Sun-pt shade		Fresh or pesto			
Popular sweet basil with dark green leaves and	· · · · · · · · · · · · · · · · · · ·	_		-			
Broadleaf sage	75 Days	Full sun	24-36"	Fresh, dried, seasoning, tea			
Aromatic culinary herb with fuzzy, silvery, eve	· · · · · · · · · · · · · · · · · · ·						
Yellow mustard seed	70-85 Days	Full sun	24-30"	Seasoning, pickling, mustard			
A yellow flowering plant that produces seeds us.	•			0.			



VARIETY	DAYS TO HARVEST	LIGHT	HEIGHT	USES		
Alaska nasturtium mix	60 Days	Sun-pt shade	6-12"	Salads, companion plant		
Green and white variegated leaves and mix of colorful blooms. Edible; peppery-flavored leaves and flowers. Deters insect pests.						
Queen Sophia French dwarf dbl. marigold	Summer bloom	Full sun	6-12"	Companion plant		
Compact annual with rusty orange bi-colored double blooms. Deters pests. Great for edging vegetable beds.						
White yarrow (achillea millefolium)	Summer bloom	Full sun	1-2'	Companion plant, fertilizer		
Perennial repels pests and attracts beneficial insects. Excellent natural fertilizer with high nitrogen content. Colonizes quickly.						









Hands-on Workshops
Nature Summer Camp
and our
Behind the Fence Festivals
Rose | May 30 | 11am—4pm
Tomato | August 8 | 11am—4pm

HISTORIC HOUSE | GARDEN | FARM

Feeding Curious Souls

Honey | September 12 | 10am—4pm

RM 6026 Germantown Ave.
Philadelphia, PA 19144

www.wyck.org





JUDILE STOVE BUILD A LASTING LEGACY.



Join us this year to plant JUBILEE GROVE, a special grove of native trees, shrubs, and wildflowers just behind our Visitor Center.

ENDOW JUBILEE GROVE:

\$25, one wildflower or fern

\$50, one shrub like spicebush

\$75, one understory tree like redbud

\$100, one canopy tree like oak

\$250, three canopy trees

\$500, six canopy trees and your name on the dedication plaque in Jubilee Grove

For more information on supporting the Schuylkill Center and donating to plant Jubilee Grove, contact Patricia Boyle at 215-482-7300, x112 or at patty@schuylkillcenter.org.









